

Natural and Propane Gas Regulation, Measurement and Controls




Accessories

Gas Valves
Plug, Ball and Seismic

Master Distributor for



MILLIKEN











www.gasessentials.com

Accessories



Limit Switches **▼**

Open and closed position limit switches can easily be fitted to both wrench and gear operated valves.



Power Actuation ▼

A variety of pneumatic, hydraulic and electric actuators can be fitted to Milliken valves. Actuators supplied by leading manufacturers can be fitted including accessories such as limit switches and positioners.



Lubricant Guns and Lubricants ▼

Lubricant types available for a wide range of services; Natural Gas, Propane, Landfill Gas etc. Plus various Lubricant Guns are available for efficient and controlled plug valve Lubrication. Handles the heaviest plug valve lubricant/sealants. Builds pressure up to 10,000 lbs.



Steam Jacketed Covers

A range of steam jacketed covers can be fitted to Milliken valves. Steam jackets are used on viscous services, such as asphalt, where heat is required to keep in a liquid state. Steam lackets can also be installed on 3 way valves.



Wrenches

A malleable iron wrench is available with all CSA approved Lubricated Plug valves. A variety of wrenches including standard operated and chain wrench are also available. The standard wrench is removable but can be fixed to the valve by means of a setscrew.



Locking Device

Locking devices can be fitted onto wrench valves. A padlock and key is then used to lock the valve into the required position.

Comparison Chart

Cast Iron - Lubricated Plug Valve

Milliken	Homestead	Resun	Nordstrom	Neo Valves
170M	611	R-1430	142	
171M	612	R-1431	143	1-AS 40114
171MG	612-G	R-1431-WGA	149	1-AS 40114-C
200M	601	D-125	114	1-AR 40034
201M	602	D-126	115	
201MG	602-G	D-126-WGA	189	
200MSJ	601-SJ	D-125-SJ		
201MSJ	602-SJ	D-126-SJ	2815 / 2865	
200L	603	D-951	3402	
301L	604	D-952	3403 / 3465	
301LSJ	604-SJ	D-952-SJ		
301LG	604-G	D-952-WGA	3469	
200T	605	D-953	3412	
301T	606	D-954	3413 / 3475	
200LSJ	603-SJ	D-951-SJ		
200TSJ	605-SJ	D-953-SJ		
301TSJ	606-SJ	D-954-SJ	3479	
301TG	606-G	D-954-WGA		

 $^{^{*}}$ The above chart is meant as a general cross-reference only. For specific comparisons with reference to face-to-face, pressure and flow capacity contact Norgas Controls Inc.

Other products available from





Regulators for Natural & Propane Gas High Pressure Regulators up to 5000 PSI Filter Regulators & Gauges

METERS

Diaphragm, Rotary, Turbine, Dattus and Accessories

Manufacturer standard warranty applies. For a copy please contact us.